



WOOD, LAMINATE & VINYL AFTERCARE CLEANER

Page: 1

Compilation date: 06/03/2017

Revision date: 07/03/2017

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: * WOOD, LAMINATE & VINYL AFTERCARE CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

J.V. Barrett & Co Ltd

Manufacture:

Marketing Company & Exclusive Distributor:

LTP

St Ivel way Tone Industrial Estate Warmley Milverton

Milverton Wellington

BS30 5TY Somerset, TA21 0AN United Kingdom **Tel:** 01823 666213

Email: sales@barrettine.co.uk Fax: 01823 665685

Email: info@ltp-online.co.uk

1.4. Emergency telephone number

Bristol

Emergency tel: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.)

+44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion

Signal words: Danger [cont...]

WOOD, LAMINATE & VINYL AFTERCARE CLEANER

Precautionary statements: P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P501: Dispose of contents/container to hazardous or special waste collection point

inaccordance with local authority requirements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL) - REACH registered number(s):

01-2119490100-53-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
931-329-6	-	-	Eye Dam. 1: H318; Aquatic Chronic 2: H411; Skin Irrit. 2: H315	1-10%

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH TRIETHANOLAMINE - REACH registered number(s): 01-2119971970-28-XXXX

939-464-2	-	-	Eye Dam. 1: H318; Skin Irrit. 2: H315	1-10%

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS - REACH registered number (s): 01-2119513401-57-XXXX

931-534-0 - Eye Dam. 1: H318; Skin Irrit. 2: H315 1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact:

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

[cont...]

WOOD, LAMINATE & VINYL AFTERCARE CLEANER

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Treat Symptomatically

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Water spray. Dry chemical powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

WOOD, LAMINATE & VINYL AFTERCARE CLEANER

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL)

Effect	Population	Value	Exposure	Туре
Local	Workers	4.16 mg/Kg/day	Dermal	DNEL
Systemic	Workers	73.4 mg/m3	Inhalation	DNEL
Systemic	General Population	21.73 mg/m3	Inhalation	DNEL
Systemic	General Population	2.5 mg/kg/day	Dermal	DNEL
Systemic	General Population	6.25 mg/kg/day	Oral	DNEL
-	-	0.007 mg/l	Fresh water	PNEC
-	-	0.0007 mg/l	Marine water	PNEC
-	-	0.195 mg/kg	Fresh water sediments	PNEC
-	-	0.0195 mg/kg	Marine sediments	PNEC
-	-	0.0348 mg/kg	Soil (agricultural)	PNEC
-	-	0.83 g/l	Microorganisms in sewage treatment	PNEC

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: No data available **Odour:** No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

[cont...]

WOOD, LAMINATE & VINYL AFTERCARE CLEANER

Page: 5

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL)

DERMAL	RAT	DL50	>2000	mg/kg
ORAL	RAT	DL50	>5000	mg/kg
BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH TRIETHANOLAMINE				

ORAL	RAT	DL50	2925	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL)

, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,	<u> </u>	
ALGAE	CI50	3.9	mg/l
Daphnia magna	CE50	3.2	mg/l
Daphnia magna	NOEC	0.07	mg/l
FISH	CL50	2.4	mg/l

12.2. Persistence and degradability

WOOD, LAMINATE & VINYL AFTERCARE CLEANER

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

[cont...]

WOOD, LAMINATE & VINYL AFTERCARE CLEANER

Phrases used in s.2 and s.3: H315: Causes skin irritation.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legend to abbreviations: PNEC = predicted no effect concentration

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

LDLO = lethal dose low

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight bw = body weight cc =

closed cup oc = open cup MUS =

mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

ORL = oral

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

ING = ingestion

INH = inhalation

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

[final page]