taps & showers January 2020

REVELA BODY LO THAT DELIVITION SAFFLOWER ON AVENUE E



contents

04 Innovation, Design & Reliability





R2 taps & showers

At R2 we like to think we know a thing or two about bathrooms we've been designing them for over 40 years.

We're a family owned bathroom business based, appropriately enough, in Bath. We have an in-house team of experienced product designers and an excellent reputation for customer service.

We know value is important to you but that shouldn't be at the expense of good design. That's why our collection of very affordable taps are of the highest quality brass and are beautifully chrome plated.

So when choosing the perfect finishing touch for your R2 bathroom, look no further than R2.











Тар	Show		
06	Tap Features	38	SI
08	Range Selector	40	A
10	Fuse	42	A
12	Octave	44	M
14	Crew	46	Н
16	Јоу	48	F
18	Font	50	Jo
20	Info	52	C
22	Flight	54	E
24	Ergo	56	S
26	Spirit	58	Ρ
28	Intent	60	Fa
30	Shout	64	R
32	Prefix		
34	Fairview		
36	Regatta		

- 68 Flow Regulators & Water Pressures
- 70 Tap Product Dimensions
- 76 Shower Product Dimensions
- 78 Customer Services





Shower Features Awake Arctic Marine Harbour use

Irew Ergo Spirit Prefix airview Regatta

З

taps & showers innovation, design & reliability

At R2 we know value is important to you which is why we are committed to developing stunning designs at affordable prices. Combining quality materials with progressive manufacturing techniques, each design has been carefully developed to bring style and functionality to your bathroom.

We understand our customers' needs and have created a collection offering a complete, economical solution for every bathroom, including mini basin mixer options as well as coordinating bath fillers and bath shower mixers.


Furthermore, when you purchase an R2 tap or shower you have the reassurance of a comprehensive 10 year guarantee which also covers the cartridge. How's that for peace of mind?



taps innovation, design & reliability

From concept to production, we have a commitment to design affordable yet stylish brassware ranges. With modern life so fast paced, we have introduced a number of useful features to put your mind at ease and make your life a little easier.

Whether eco water-saving factors are foremost in your mind or if you require your tap to work at low pressure, we have a number of suitable ranges. All with the added benefit of a 10 year guarantee for complete peace of mind.



save water in the bathroom

Our optional regulators are an easy, cost effective way to help save water in the bathroom. Simple to install, the regulators can be used with selected R2 taps to reduce your water consumption and so help save money too.



Low pressure taps, suitable for all plumbing systems

Compression fitting and flexible hoses make installation easy







stylish Variety of stylish designs with something to suit every bathroom



practical Practical taps, designed with your requirements in mind



reliable All backed up by a 10 year guarantee



taps range selector

Take a look at our R2 tap collection overview. We have included a tap from each range showing the variety of styles available. From contemporary to transitional and classic, you're sure to find a tap design to suit your bathroom.







Tap water pressure

We have designed a range of taps which are compatible with most systems. Some taps are high pressure (HP) products and will only work with high pressure systems, such as combi boilers. Our low pressure taps (LP) are also suitable for high pressure (HP) systems. For further information see page 69.

Optional flow regulators

Regulate the flow of water through your R2 tap. Our flow regulators will give you the feeling of great water flow, but will actually reduce your water consumption and so help save you money too. For more information see page 68.







Font p18



Spirit p26



Fairview p34



8



Octave p12



Info p20



Crew p14



Flight p22



Joy p16



Ergo p24



Intent p28



Shout p30



Prefix p32



Regatta p36





Fuse basin mixer with click waste TR1021 Minimum recommended pressure 0.2bar £104.00



Fuse mini basin mixer with click waste TR1022 Minimum recommended pressure 0.2bar £98.30

fuse









Fuse bath filler TR1023 Minimum recommended pressure 0.2bar £185.50





Fuse bath shower mixer TR1024 Minimum recommended pressure 0.2bar £214.50





Octave basin mixer with click waste TR1060 Minimum recommended pressure 0.5bar £104.00



Octave mini basin mixer with click waste TR1049 Minimum recommended pressure 0.2bar £98.30

octave

12









Octave bath filler TR1050 Minimum recommended pressure 0.2bar £151.00











Crew basin mixer with click waste TR1025 Minimum recommended pressure 0.2bar £92.50



Crew mini basin mixer with click waste TR1026 Minimum recommended pressure 0.2bar £81.00

CLEM









Crew bath filler TR1027 Minimum recommended pressure 0.2bar £173.50



Crew bath shower mixer TR1028 Minimum recommended pressure 0.2bar £203.00





Joy basin mixer with click waste TR1062 Minimum recommended pressure 0.2bar £83.20



Joy tall basin mixer without click waste TR1016 Minimum recommended pressure 0.2bar £122.50









Joy bath filler TR1005 Minimum recommended pressure 0.1bar £142.00



Joy bath shower mixer TR1012 Minimum recommended pressure 0.2bar £167.00



font

a closer look...



Font basin mixer with click waste TR1042 Minimum recommended pressure 0.2bar £98.30



Font bath filler TR1043 Minimum recommended pressure 0.5bar £145.00









Font bath shower mixer TR1044 Minimum recommended pressure 0.5bar £179.50





Info basin mixer with click waste TR1029 Minimum recommended pressure 0.2bar £110.00



Info mini basin mixer with click waste TR1030 Minimum recommended pressure 0.2bar £104.00

info









Info bath filler TR1031 Minimum recommended pressure 0.2bar £191.50



Info bath shower mixer TR1032 Minimum recommended pressure 0.2bar £219.50





Flight basin mixer with click waste TR1061 Minimum recommended pressure 0.5bar £110.00



Flight mini basin mixer with click waste TR1053 Minimum recommended pressure 0.2bar £104.00

flight









Flight bath filler TR1054 Minimum recommended pressure 0.2bar £173.50



Flight bath shower mixer TR1055 Minimum recommended pressure 0.2bar £214.50





Ergo basin mixer with click waste TR1017 Minimum recommended pressure 0.2bar £104.00



Ergo mini basin mixer with click waste TR1018 Minimum recommended pressure 0.2bar £98.30

ergo









Ergo bath filler TR1019 Minimum recommended pressure 0.2bar £185.50



Ergo bath shower mixer TR1020 Minimum recommended pressure 0.2bar £214.50





Spirit basin mixer with click waste TR1063 Minimum recommended pressure 0.2bar £102.00



Spirit bath filler TR1004 Minimum recommended pressure 0.1bar £158.00

spirit











Intent basin mixer with click waste TR1036 Minimum recommended pressure 0.2bar £98.30



Intent bath filler TR1037 Minimum recommended pressure 0.2bar £173.50

intent










Intent bath shower mixer TR1038 Minimum recommended pressure 0.2bar £196.50







Shout basin mixer with click waste TR1039 Minimum recommended pressure 0.2bar £86.70



Shout bath filler TR1040 Minimum recommended pressure 0.5bar £145.00

shout







Shout bath shower mixer TR1041 Minimum recommended pressure 0.5bar £173.50





Prefix basin mixer with click waste TR1033 Minimum recommended pressure 0.2bar £110.00




Prefix bath filler TR1034 Minimum recommended pressure 0.2bar £179.50

prefix









Prefix bath shower mixer TR1035 Minimum recommended pressure 0.2bar £203.00





Fairview basin mixer with click waste TR1045 Minimum recommended pressure 0.2bar £104.00



Fairview bath filler TR1046 Minimum recommended pressure 0.2bar £139.00

fairview







Fairview bath shower mixer TR1047 Minimum recommended pressure 0.2bar £173.50





Regatta basin mixer with click waste TR1056 Minimum recommended pressure 0.1bar £86.70



Regatta basin taps TR1059 Minimum recommended pressure 0.1bar £63.70





Regatta bath filler TR1057 Minimum recommended pressure 0.2bar £139.00



Regatta bath shower mixer TR1058 Minimum recommended pressure 0.2bar £196.50

showers smart, simple showering

In developing our showering collection we have created a range of beautiful systems which complement the flow of water, control it with precision and channel its power. Systems which bring performance and beauty together perfectly, combining style and engineering.

Choose from our array of concealed, exposed or bar valve shower systems. We have simple single function systems or dual function systems, which control 2 water outlets.



save water in the bathroom

Our optional regulators are an easy, cost effective way to help save water in the bathroom. Simple to install, the regulators can be used with selected R2 showers to reduce your water consumption and so help save money too.

stylish


Variety of stylish designs with something to suit every bathroom








reliable All backed up by a 10 year guarantee on shower cartridges & a 5 year guarantee on accessories









awake



Awake shower system TR3002

- Minimum recommended pressure 0.2bar
- Thermostatic bar valve
- Chrome plated brass body
- 5 function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high and low pressure systems £173.50

Bar valve quick fixing kit For quick and easy installation SVACS10

£46.30









42




Arctic shower system TR3005

- Minimum recommended pressure 0.2bar
- Thermostatic bar valve
- Chrome plated brass body
- Single function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high and low pressure systems

£197.50

Bar valve quick fixing kit For quick and easy installation SVACS10

£46.30



marine








Marine shower system TR3003

- Minimum recommended pressure 1.0bar
- Thermostatic diverter bar valve
- Chrome plated brass body
- 3 function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high pressure systems
- Height adjustable riser rail
- Includes bar valve quick fixing kit £266.00



harbour









Harbour shower system TR3004

- Minimum recommended pressure 1.0bar
- Thermostatic diverter bar valve
- Chrome plated brass body
- Single function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high pressure systems
- Height adjustable riser rail
- Includes bar valve quick fixing kit

£342.00











Fuse concealed dual function shower system with shower head and handset TR3008

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge







Easy fix riser rail, allowing easy removal for cleaning





Joy concealed dual function shower system with shower head and handset TR3011

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge







Crew





Crew concealed dual function shower system with shower head and handset TR3006

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge







ergo





Ergo concealed dual function shower system with shower head and handset TR3007


- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Square riser rail
- Minimum recommended pressure 1.0bar plate
- 10 year guarantee includes thermostatic cartridge plate













Spirit concealed dual function shower system with shower head and handset TR3010

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Square riser rail
- Minimum recommended pressure
 1.0bar plate
- 10 year guarantee includes thermostatic cartridge plate












system with shower head and handset TR3009

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge



fairview









Fairview concealed dual function shower system with shower head and handset TR3012

- Dual function thermostatic diverter shower valve
- 200mm brass shower head
- Brass shower arm and wall elbow with easy fix connection
- Brass riser rail and shower handset
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge

£505.00



fairview









Fairview exposed dual function shower valve with shower head and handset TR3014

- Thermostatic sequential shower valve
- Separate flow control to shower head and handset
- Brass adjustable length rigid riser rail and shower arm
- 200mm brass shower head
- Minimum recommended pressure 0.5bar
- 10 year guarantee includes thermostatic cartridge

£560.00









regatta





Regatta concealed dual function shower system with shower head and handset TR3013

- Dual function thermostatic diverter shower valve
- 200mm brass shower head
- Brass shower arm and wall elbow with easy fix connection
- Brass riser rail and shower handset
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge
- £505.00













Regatta exposed dual function shower valve with shower head and handset TR3015

- •Thermostatic sequential shower valve
- Separate flow control to shower head and handset
- Brass adjustable length rigid riser rail and shower arm
- 200mm brass shower head
- Minimum recommended pressure 0.5bar
- 10 year guarantee includes thermostatic cartridge

£560.00

taps & showers flow regulators

Shower flow regulators

Suitable for bath shower mixers and showers displaying ECO¹ Mount between the valve and hose for shower valves with handsets or on your bath shower mixer.







6 litres/min shower flow regulator FR01 £7.90

8 litres/min shower flow regulator FR02 £7.90

10 litres/min shower flow regulator FR03 £7.90

Basin tap flow regulators Suitable for pairs of basin taps displaying ECO² Install on the inlet of the tap. One required for each tap, therefore please purchase in pairs.







3 litres/min basin tap flow regulator FR07 £3.30

5 litres/min basin tap flow regulator FR08 £3.30

7 litres/min FR09 £3.30

basin tap flow regulator

Basin mixer flow aerator

Suitable for basin mixers taps displaying ECO³ Produces aerated water flow. Simple to install into the aerator housing of the basin mixer.

3.5 litres/min

FR05 £6.90



1.7 litres/min basin mixer flow aerator FR04 £6.90



basin mixer flow aerator



5 litres/min basin mixer flow aerator FR06 £6.90



Our optional regulators are an easy, cost effective

way to help save water in the bathroom. These

water saving

add-on products can be used with selected R2 taps and showers to reduce your water consumption and

water pressure & flow regulators





Suitable for all plumbing systems, including conventional gravity fed, with a minimum of 0.1bar pressure and above



Suitable for all plumbing systems, including conventional gravity fed, with a minimum of 0.2bar pressure and above

asin Mixer	Tall Basin Mixer	Basin Taps	Bath Filler	Bath Shower Mixer	Shower Systems
ECO ³			LP2	LP2 ECO ¹	HP ECO ¹
ECO ³			LP2	MP EC0 ¹	
ECO ³			LP2	LP2 EC0 ¹	HP ECO ¹
	LP2 ECO ³		LP1	LP2 EC0 ¹	HP ECO ¹
			MP	MP ECO ¹	
.P2			LP2	LP2 EC0 ¹	
ECO ³			LP2	LP2 EC0 ¹	
ECO ³			LP2	LP2 EC0 ¹	HP ECO ¹
			LP1		HP ECO ¹
			LP2	LP2 EC0 ¹	
			MP	MP ECO ¹	
			LP2	LP2 EC0 ¹	HP ECO ¹
			LP2	LP2 EC0 ¹	
		LP1 ECO ²	LP2	LP2 ECO	
					LP2 ECO ¹
					HP ECO ¹
					LP2 ECO ¹
					HP ECO ¹
					HP EC0 ¹
					MP ECO ¹
					HP ECO ¹
					MP ECO ¹

Suitable for all plumbing systems, including gravity fed or pressurised systems, with a minimum of 0.5bar pressure and above Suitable for modern pressurised plumbing systems

with a minimum of 1.0bar and above



Suitable for use with a shower flow regulator




Suitable for use with basin tap flow regulators




Suitable for use with a basin mixer flow regulator

tap dimensions









Crew Basin Mixer
































tap dimensions




48


TR1030











120

븝


G3/4" 48

TR1031


Flight Bath Shower Mixer








72








tap dimensions











Intent Bath Filler

Prefix Bath Filler

Fairview Bath Filler

위 슈퍼

TR1046

TR1034

TR1037

0

228

180

107

115

긑


49


G3/4"


G3/4"

G3/4"


븜
















74







shower dimensions




TR3011

TR3007










TR3008

TR3006









It's not only our products we're proud of - customer service is important to us too.

We've built an excellent reputation for customer service over almost 40 years' of business. By choosing R2 you can be assured of the very best support for your product.



how to get help...

telephone: email: web:

01225 303900 info@r2bathrooms.co.uk r2bathrooms.co.uk

lines open: monday to thursday friday

9:00am - 5:30pm 9:00am - 5:00pm

Our in-house customer service team are highly experienced staff. You can be sure you will be speaking to people with a wealth of knowledge on our products, who will be able to help you.

quality & service

As one of the UK's largest suppliers of bathroom products, we set very high standards in design, manufacture and service. We also invest heavily in product improvement and innovation to ensure complete customer satisfaction.

All items in this brochure are covered by a 10 year guarantee, which extends to include the cartridge.

Attention is drawn to the policy of replacing any damaged parts with a spare part where possible. Complete exchanges will only be made if damage is extensive.

We reserve the right to amend specifications at any time if an opportunity to further improve the product occurs. All dimensions quoted are within reasonable tolerances.

Guarantees are for domestic use only and are not transferable.

pricing

All prices guoted are inclusive of Value Added Tax at 20% but will be charged at the rate applicable on the date of despatch. We cannot be held responsible for any errors or omissions to products or prices.

R2 Brassmill Lane Trading Estate Bath BA1 3JF

tel. 01225 303900 fax. 01225 448877 email. info@r2bathrooms.co.uk website. r2bathrooms.co.uk

Brought to you by the Roper Rhodes Group

R2TAPJAN20