

taps & showers
October 2019



R2



R2 taps & showers

At R2 we like to think we know a thing or two about bathrooms - we've been designing them for over 40 years.

We're a family owned bathroom business based, appropriately enough, in Bath. We have an in-house team of experienced product designers and an excellent reputation for customer service.

We know value is important to you but that shouldn't be at the expense of good design. That's why our collection of very affordable taps are of the highest quality brass and are beautifully chrome plated.

So when choosing the perfect finishing touch for your R2 bathroom, look no further than R2.



contents

04 Innovation, Design & Reliability

Taps

- 06 Tap Features
- 08 Range Selector
- 10 Fuse
- 12 Octave
- 14 Crew
- 16 Joy
- 18 Font
- 20 Info
- 22 Flight
- 24 Ergo
- 26 Spirit
- 28 Intent
- 30 Shout
- 32 Prefix
- 34 Fairview
- 36 Regatta

- 68 Flow Regulators & Water Pressures
- 70 Tap Product Dimensions
- 76 Shower Product Dimensions
- 78 Customer Services

Showers

- 38 Shower Features
- 40 Awake
- 42 Arctic
- 44 Marine
- 46 Harbour
- 48 Fuse
- 50 Joy
- 52 Crew
- 54 Ergo
- 56 Spirit
- 58 Prefix
- 60 Fairview
- 64 Regatta



taps & showers

innovation, design & reliability

At R2 we know value is important to you which is why we are committed to developing stunning designs at affordable prices. Combining quality materials with progressive manufacturing techniques, each design has been carefully developed to bring style and functionality to your bathroom.

We understand our customers' needs and have created a collection offering a complete, economical solution for every bathroom, including mini basin mixer options as well as coordinating bath fillers and bath shower mixers.

Furthermore, when you purchase an R2 tap or shower you have the reassurance of a comprehensive 10 year guarantee which also covers the cartridge. How's that for peace of mind?





taps

innovation, design & reliability

From concept to production, we have a commitment to design affordable yet stylish brassware ranges. With modern life so fast paced, we have introduced a number of useful features to put your mind at ease and make your life a little easier.

Whether eco water-saving factors are foremost in your mind or if you require your tap to work at low pressure, we have a number of suitable ranges. All with the added benefit of a 10 year guarantee for complete peace of mind.

Brass click waste included



Low pressure taps, suitable for all plumbing systems

Compression fitting and flexible hoses make installation easy



Compatible with our optional water and energy saving, basin mixer flow regulators

Mini mixer options available for cloakrooms or smaller basins

10
year
guarantee

ceramic
disc
cartridge

save water in the bathroom

Our optional regulators are an easy, cost effective way to help save water in the bathroom. Simple to install, the regulators can be used with selected R2 taps to reduce your water consumption and so help save money too.



stylish

Variety of stylish designs with something to suit every bathroom



practical

Practical taps, designed with your requirements in mind



reliable

All backed up by a 10 year guarantee



taps range selector

Take a look at our R2 tap collection overview. We have included a tap from each range showing the variety of styles available. From contemporary to transitional and classic, you're sure to find a tap design to suit your bathroom.



Tap water pressure

We have designed a range of taps which are compatible with most systems. Some taps are high pressure (HP) products and will only work with high pressure systems, such as combi boilers. Our low pressure taps (LP) are also suitable for high pressure (HP) systems. For further information see page 69.



Optional flow regulators

Regulate the flow of water through your R2 tap. Our flow regulators will give you the feeling of great water flow, but will actually reduce your water consumption and so help save you money too. For more information see page 68.



Fuse p10



Octave p12



Crew p14



Joy p16



Font p18



Info p20



Flight p22



Ergo p24



Spirit p26



Intent p28



Shout p30



Prefix p32



Fairview p34



Regatta p36



fuse

a closer look...



Fuse basin mixer with click waste
TR1021
Minimum recommended pressure 0.2bar
£97.40



Fuse mini basin mixer with click waste
TR1022
Minimum recommended pressure 0.2bar
£92.00



Fuse bath filler
TR1023
Minimum recommended pressure 0.2bar
£173.50



Fuse bath shower mixer
TR1024
Minimum recommended pressure 0.2bar
£200.50



octave

a closer look...



Octave basin mixer with click waste
TR1060
Minimum recommended pressure 0.5bar
£97.40



Octave mini basin mixer with click waste
TR1049
Minimum recommended pressure 0.2bar
£92.00



Octave bath filler
TR1050
Minimum recommended pressure 0.2bar
£141.00



Octave bath shower mixer
TR1051
Minimum recommended pressure 0.5bar
£173.50



crew

a closer look...



Crew basin mixer with click waste
TR1025
Minimum recommended pressure 0.2bar
£86.60



Crew mini basin mixer with click waste
TR1026
Minimum recommended pressure 0.2bar
£75.80



Crew bath filler
TR1027
Minimum recommended pressure 0.2bar
£162.50



Crew bath shower mixer
TR1028
Minimum recommended pressure 0.2bar
£190.00



joy

a closer look...



Joy basin mixer with click waste
TR1062
Minimum recommended pressure 0.2bar
£77.90



Joy tall basin mixer without click waste
TR1016
Minimum recommended pressure 0.2bar
£114.50



Joy bath filler
TR1005
Minimum recommended pressure 0.1bar
£133.00



Joy bath shower mixer
TR1012
Minimum recommended pressure 0.2bar
£156.00



font

a closer look...



Font basin mixer with click waste
TR1042
Minimum recommended pressure 0.2bar
£92.00



Font bath filler
TR1043
Minimum recommended pressure 0.5bar
£135.50



Font bath shower mixer
TR1044
Minimum recommended pressure 0.5bar
£168.00



info

a closer look...



Info basin mixer with click waste
TR1029
Minimum recommended pressure 0.2bar
£103.00



Info bath filler
TR1031
Minimum recommended pressure 0.2bar
£179.00



Info mini basin mixer with click waste
TR1030
Minimum recommended pressure 0.2bar
£97.40



Info bath shower mixer
TR1032
Minimum recommended pressure 0.2bar
£205.50



flight

a closer look...



Flight basin mixer with click waste
TR1061
Minimum recommended pressure 0.5bar
£103.00



Flight mini basin mixer with click waste
TR1053
Minimum recommended pressure 0.2bar
£97.40



Flight bath filler
TR1054
Minimum recommended pressure 0.2bar
£162.50



Flight bath shower mixer
TR1055
Minimum recommended pressure 0.2bar
£200.50



ergo

a closer look...



Ergo basin mixer with click waste
TR1017
Minimum recommended pressure 0.2bar
£97.40



Ergo bath filler
TR1019
Minimum recommended pressure 0.2bar
£173.50



Ergo mini basin mixer with click waste
TR1018
Minimum recommended pressure 0.2bar
£92.00



Ergo bath shower mixer
TR1020
Minimum recommended pressure 0.2bar
£200.50



spirit

a closer look...



Spirit basin mixer with click waste
TR1063
Minimum recommended pressure 0.2bar
£95.20



Spirit bath filler
TR1004
Minimum recommended pressure 0.1bar
£148.00



intent

a closer look...



Intent basin mixer with click waste
TR1036
Minimum recommended pressure 0.2bar
£92.00



Intent bath filler
TR1037
Minimum recommended pressure 0.2bar
£162.50



Intent bath shower mixer
TR1038
Minimum recommended pressure 0.2bar
£184.00



shout

a closer look...



Shout basin mixer with click waste
TR1039
Minimum recommended pressure 0.2bar
£81.20



Shout bath filler
TR1040
Minimum recommended pressure 0.5bar
£135.50

Shout bath shower mixer
TR1041
Minimum recommended pressure 0.5bar
£162.50



prefix

a closer look...



Prefix basin mixer with click waste
TR1033
Minimum recommended pressure 0.2bar
£103.00



Prefix bath filler
TR1034
Minimum recommended pressure 0.2bar
£168.00



Prefix bath shower mixer
TR1035
Minimum recommended pressure 0.2bar
£190.00



fairview

a closer look...



Fairview basin mixer with click waste
TR1045
Minimum recommended pressure 0.2bar
£97.40



Fairview bath filler
TR1046
Minimum recommended pressure 0.2bar
£130.00

Fairview bath shower mixer
TR1047
Minimum recommended pressure 0.2bar
£162.50



regatta

a closer look...



Regatta basin mixer with click waste
TR1056
Minimum recommended pressure 0.1bar
£81.20



Regatta basin taps
TR1059
Minimum recommended pressure 0.1bar
£59.60



Regatta bath filler
TR1057
Minimum recommended pressure 0.2bar
£130.00



Regatta bath shower mixer
TR1058
Minimum recommended pressure 0.2bar
£184.00

showers

smart, simple showering

In developing our showering collection we have created a range of beautiful systems which complement the flow of water, control it with precision and channel its power. Systems which bring performance and beauty together perfectly, combining style and engineering.

Choose from our array of concealed, exposed or bar valve shower systems. We have simple single function systems or dual function systems, which control 2 water outlets.



Overhead shower



Single function or multi function handset options



Anti-scald mechanism for safe showering



10 year
guarantee includes
thermostatic
cartridge

5 year
guarantee on
shower accessories

save water in the bathroom

Our optional regulators are an easy, cost effective way to help save water in the bathroom. Simple to install, the regulators can be used with selected R2 showers to reduce your water consumption and so help save money too.



stylish

Variety of stylish designs with something to suit every bathroom



practical

Quick fix riser rail, allowing easy removal for cleaning



reliable

All backed up by a 10 year guarantee on shower cartridges & a 5 year guarantee on accessories





awake



Awake shower system
TR3002

- Minimum recommended pressure 0.2bar
- Thermostatic bar valve
- Chrome plated brass body
- 5 function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high and low pressure systems

£162.50

Bar valve quick fixing kit
For quick and easy installation
SVACS10

£43.30



arctic



**Arctic shower system
TR3005**

- Minimum recommended pressure 0.2bar
- Thermostatic bar valve
- Chrome plated brass body
- Single function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high and low pressure systems

£185.00

Bar valve quick fixing kit

For quick and easy installation

SVACS10

£43.30



marine



Marine shower system
TR3003

- Minimum recommended pressure 1.0bar
- Thermostatic diverter bar valve
- Chrome plated brass body
- 3 function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high pressure systems
- Height adjustable riser rail
- Includes bar valve quick fixing kit

£249.00




harbour



Harbour shower system
TR3004

- Minimum recommended pressure 1.0bar
- Thermostatic diverter bar valve
- Chrome plated brass body
- Single function handset
- Separate flow and temperature controls including safety temperature stop function
- Anti-scald mechanism for safe showering
- Suitable for high pressure systems
- Height adjustable riser rail
- Includes bar valve quick fixing kit

£320.00



fuse



Fuse concealed dual function shower system with shower head and handset
TR3008

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge

£375.00



joy



Easy fix riser rail, allowing easy removal for cleaning



Joy concealed dual function shower system with shower head and handset TR3011

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge

£375.00



crew



Crew concealed dual function shower system with shower head and handset TR3006

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge

£375.00



ergo



Ergo concealed dual function shower system with shower head and handset TR3007

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Square riser rail
- Minimum recommended pressure 1.0bar plate
- 10 year guarantee includes thermostatic cartridge plate

£375.00



spirit



Spirit concealed dual function shower system with shower head and handset TR3010

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Square riser rail
- Minimum recommended pressure 1.0bar plate
- 10 year guarantee includes thermostatic cartridge plate

£375.00



prefix



Prefix concealed dual function shower system with shower head and handset TR3009

- Dual function thermostatic diverter shower valve
- 200mm stainless steel shower head
- Brass shower arm and wall elbow with easy fix connection
- Multi function push button control shower handset
- Quick fix riser rail, allowing easy removal for cleaning
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge

£375.00



fairview



Fairview concealed dual function shower system with shower head and handset TR3012

- Dual function thermostatic diverter shower valve
- 200mm brass shower head
- Brass shower arm and wall elbow with easy fix connection
- Brass riser rail and shower handset
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge

£495.00



fairview



Fairview exposed dual function shower valve with shower head and handset TR3014

- Thermostatic sequential shower valve
- Separate flow control to shower head and handset
- Brass adjustable length rigid riser rail and shower arm
- 200mm brass shower head
- Minimum recommended pressure 0.5bar
- 10 year guarantee includes thermostatic cartridge

£550.00



regatta



Regatta concealed dual function shower system with shower head and handset TR3013

- Dual function thermostatic diverter shower valve
- 200mm brass shower head
- Brass shower arm and wall elbow with easy fix connection
- Brass riser rail and shower handset
- Minimum recommended pressure 1.0bar
- 10 year guarantee includes thermostatic cartridge
- £495.00



regatta



Regatta exposed dual function shower valve with shower head and handset TR3015

- Thermostatic sequential shower valve
- Separate flow control to shower head and handset
- Brass adjustable length rigid riser rail and shower arm
- 200mm brass shower head
- Minimum recommended pressure 0.5bar
- 10 year guarantee includes thermostatic cartridge

£550.00

taps & showers

flow regulators

Shower flow regulators

Suitable for bath shower mixers and showers displaying ECO¹

Mount between the valve and hose for shower valves with handsets or on your bath shower mixer.



6 litres/min
shower flow regulator
FR01 £7.40



8 litres/min
shower flow regulator
FR02 £7.40



10 litres/min
shower flow regulator
FR03 £7.40

Basin tap flow regulators

Suitable for pairs of basin taps displaying ECO²

Install on the inlet of the tap. One required for each tap, therefore please purchase in pairs.



3 litres/min
basin tap flow regulator
FR07 £3.00



5 litres/min
basin tap flow regulator
FR08 £3.00



7 litres/min
basin tap flow regulator
FR09 £3.00

Basin mixer flow aerator

Suitable for basin mixer taps displaying ECO³

Produces aerated water flow. Simple to install into the aerator housing of the basin mixer.



1.7 litres/min
basin mixer flow aerator
FR04 £6.40



3.5 litres/min
basin mixer flow aerator
FR05 £6.40



5 litres/min
basin mixer flow aerator
FR06 £6.40

water saving

Our optional regulators are an easy, cost effective way to help save water in the bathroom. These add-on products can be used with selected R2 taps and showers to reduce your water consumption and so help save money too.



water pressure & flow regulators

| | Basin Mixer | Mini Basin Mixer | Tall Basin Mixer | Basin Taps | Bath Filler | Bath Shower Mixer | Shower Systems |
|----------------------------------|----------------------|----------------------|----------------------|----------------------|-------------|----------------------|----------------------|
| Fuse | LP2 ECO ³ | LP2 ECO ³ | | | LP2 | LP2 ECO ¹ | HP ECO ¹ |
| Octave | MP ECO ³ | LP2 ECO ³ | | | LP2 | MP ECO ¹ | |
| Crew | LP2 ECO ³ | LP2 ECO ³ | | | LP2 | LP2 ECO ¹ | HP ECO ¹ |
| Joy | LP2 ECO ³ | | LP2 ECO ³ | | LP1 | LP2 ECO ¹ | HP ECO ¹ |
| Font | LP2 | | | | MP | MP ECO ¹ | |
| Info | LP2 | LP2 | | | LP2 | LP2 ECO ¹ | |
| Flight | MP ECO ³ | LP2 ECO ³ | | | LP2 | LP2 ECO ¹ | |
| Ergo | LP2 ECO ³ | LP2 ECO ³ | | | LP2 | LP2 ECO ¹ | HP ECO ¹ |
| Spirit | LP2 ECO ³ | | | | LP1 | | HP ECO ¹ |
| Intent | LP2 ECO ³ | | | | LP2 | LP2 ECO ¹ | |
| Shout | LP2 ECO ³ | | | | MP | MP ECO ¹ | |
| Prefix | LP2 ECO ³ | | | | LP2 | LP2 ECO ¹ | HP ECO ¹ |
| Fairview | LP2 ECO ³ | | | | LP2 | LP2 ECO ¹ | |
| Regatta | LP1 | | | LP1 ECO ² | LP2 | LP2 ECO | |
| Awake | | | | | | | LP2 ECO ¹ |
| Marine | | | | | | | HP ECO ¹ |
| Arctic | | | | | | | LP2 ECO ¹ |
| Harbour | | | | | | | HP ECO ¹ |
| Fairview Concealed Shower System | | | | | | | HP ECO ¹ |
| Fairview Exposed Shower System | | | | | | | MP ECO ¹ |
| Regatta Concealed Shower System | | | | | | | HP ECO ¹ |
| Regatta Exposed Shower System | | | | | | | MP ECO ¹ |

LP1

Suitable for all plumbing systems, including conventional gravity fed, with a minimum of 0.1bar pressure and above

LP2

Suitable for all plumbing systems, including conventional gravity fed, with a minimum of 0.2bar pressure and above

MP

Suitable for all plumbing systems, including gravity fed or pressurised systems, with a minimum of 0.5bar pressure and above

HP

Suitable for modern pressurised plumbing systems with a minimum of 1.0bar and above

ECO¹

Suitable for use with a shower flow regulator





ECO²

Suitable for use with basin tap flow regulators


ECO³

Suitable for use with a basin mixer flow regulator

tap dimensions




Crew Basin Mixer




TR1025

Crew Mini Basin Mixer




TR1026

Crew Bath Filler




TR1027

Crew Bath Shower Mixer




TR1028

Joy Basin Mixer




TR1062

Joy Tall Basin Mixer




TR1016

Joy Bath Filler











TR1005

Joy Bath Shower Mixer




TR1012

tap dimensions




Flight Bath Shower Mixer




TR1055

Ergo Basin Mixer




TR1017

Ergo Mini Basin Mixer




TR1018

Ergo Bath Filler




TR1019

Ergo Bath Shower Mixer




TR1020

Spirit Basin Mixer



TR1063

Spirit Bath Filler



TR1004

tap dimensions

Shout Basin Mixer

Technical drawing of the Shout Basin Mixer (TR1039). The front view shows a height of 136, a spout height of 145, a base width of 92, a spout width of 69, a spout depth of 45, and a base depth of 55. The side view shows a height of 98 and a base width of 55.

TR1039

Shout Bath Filler

Technical drawing of the Shout Bath Filler (TR1040). The front view shows a height of 182, a spout height of 149, a base width of 233, a spout width of 180, a spout depth of 103, a base depth of 79, and a base width of 46. The side view shows a height of 103 and a base width of 53. The base is labeled G3/4".

TR1040

Shout Bath Shower Mixer

Technical drawing of the Shout Bath Shower Mixer (TR1041). The front view shows a height of 182, a spout height of 149, a base width of 233, a spout width of 180, a spout depth of 103, a base depth of 79, and a base width of 46. The side view shows a height of 103 and a base width of 53. The shower head view shows a height of 25 and a width of 220. The base is labeled G3/4".

TR1041

Intent Basin Mixer

Technical drawing of the Intent Basin Mixer (TR1036). The front view shows a height of 124, a spout height of 139, a base width of 44, a spout width of 101, and a base depth of 77. The side view shows a height of 101 and a base width of 77.

TR1036

Intent Bath Filler

Technical drawing of the Intent Bath Filler (TR1037). The front view shows a height of 135, a spout height of 148, a base width of 226, a spout width of 180, a spout depth of 107, a base depth of 28, and a base width of 38. The side view shows a height of 107 and a base width of 49. The base is labeled G3/4" and Ø46.

TR1037

Intent Bath Shower Mixer

Technical drawing of the Intent Bath Shower Mixer (TR1038). The front view shows a height of 135, a spout height of 148, a base width of 226, a spout width of 180, a spout depth of 107, a base depth of 28, and a base width of 38. The side view shows a height of 107 and a base width of 49. The shower head view shows a height of 38 and a width of 230. The base is labeled G3/4" and Ø46.

TR1038

Prefix Basin Mixer

Technical drawing of the Prefix Basin Mixer (TR1033). The front view shows a height of 135, a spout height of 138, a base width of 45, a spout width of 34, and a base depth of 121. The side view shows a height of 100 and a base width of 45.

TR1033

Prefix Bath Filler

Technical drawing of the Prefix Bath Filler (TR1034). The front view shows a height of 123, a spout height of 157, a base width of 228, a spout width of 180, a spout depth of 115, a base depth of 64, and a base width of 48. The side view shows a height of 115 and a base width of 48. The base is labeled Ø38 and G3/4".

TR1034

Prefix Bath Shower Mixer

Technical drawing of the Prefix Bath Shower Mixer (TR1035). The front view shows a height of 123, a spout height of 157, a base width of 228, a spout width of 180, a spout depth of 115, a base depth of 64, and a base width of 48. The side view shows a height of 115 and a base width of 48. The shower head view shows a height of 25 and a width of 220. The base is labeled Ø38 and G3/4".

TR1035

Fairview Basin Mixer

Technical drawing of the Fairview Basin Mixer (TR1045). The front view shows a height of 216, a spout height of 174, a base width of 54, a spout width of 87, and a base depth of 174. The side view shows a height of 123 and a base width of 145. The base is labeled G3/4".

TR1045

Fairview Bath Filler

Technical drawing of the Fairview Bath Filler (TR1046). The front view shows a height of 155, a spout height of 157, a base width of 245, a spout width of 180, a spout depth of 118, a base depth of 30, and a base width of 46. The side view shows a height of 118 and a base width of 53. The base is labeled G3/4".


TR1046

Fairview Basin Shower Mixer

Technical drawing of the Fairview Basin Shower Mixer (TR1047). The front view shows a height of 155, a spout height of 157, a base width of 245, a spout width of 180, a spout depth of 118, a base depth of 30, and a base width of 46. The side view shows a height of 118 and a base width of 53. The shower head view shows a height of 25 and a width of 220. The base is labeled G3/4".


TR1047

Regatta Basin Mixer




TR1056

Regatta Basin Taps




TR1059

Regatta Bath Filler



TR1057


Regatta Bath Shower Mixer



TR1058


shower dimensions

Awake Shower System




TR3002

Marine Shower System




TR3003

Arctic Shower System




TR3005

Harbour Shower System




TR3004

Fuse Shower System




TR3008

Crew Shower System




TR3006

Joy Shower System




TR3011

Ergo Shower System




TR3007

Spirit Shower System




TR3010

Prefix Shower System




TR3009

Fairview Concealed Shower System




TR3012

Fairview Exposed Shower System




TR3014

Regatta Concealed Shower System



TR3003

Regatta Exposed Shower System



TR3015

customer service

It's not only our products we're proud of - customer service is important to us too.

We've built an excellent reputation for customer service over almost 40 years' of business. By choosing R2 you can be assured of the very best support for your product.



how to get help...

| | |
|------------|--|
| telephone: | 01225 303900 |
| email: | info@r2bathrooms.co.uk |
| web: | r2bathrooms.co.uk |

| | |
|--------------------|-----------------|
| lines open: | |
| monday to thursday | 9:00am - 5:30pm |
| friday | 9:00am - 5:00pm |

Our in-house customer service team are highly experienced staff. You can be sure you will be speaking to people with a wealth of knowledge on our products, who will be able to help you.

quality & service

As one of the UK's largest suppliers of bathroom products, we set very high standards in design, manufacture and service. We also invest heavily in product improvement and innovation to ensure complete customer satisfaction.

All items in this brochure are covered by a 10 year guarantee, which extends to include the cartridge.

Attention is drawn to the policy of replacing any damaged parts with a spare part where possible. Complete exchanges will only be made if damage is extensive.

We reserve the right to amend specifications at any time if an opportunity to further improve the product occurs. All dimensions quoted are within reasonable tolerances.

Guarantees are for domestic use only and are not transferable.

pricing

All prices quoted are inclusive of Value Added Tax at 20% but will be charged at the rate applicable on the date of despatch. We cannot be held responsible for any errors or omissions to products or prices.



R2
Brassmill Lane Trading Estate
Bath BA1 3JF

tel. 01225 303900
fax. 01225 448877
email. info@r2bathrooms.co.uk
website. r2bathrooms.co.uk

Brought to you by the Roper Rhodes Group

R2TAPOCT19