TAPS

Taps are no longer just a minor detail. They're the finishing touch, lifting your bathroom from the mundane to the truly special. The right taps must combine the two key ingredients of design and functionality - in short, they must look good and they must work well. With that in mind, we have designed a collection of taps which really shine.



Cheltenham P132



Varsity P134



Adapt PI36



Tier P138



Signal P140



Revive P142



Solace P144



Strike P146



.ift P148



Blaze P150



Siren PI52



Kinetic P154



Cruz PI56

TAP SOLUTIONS FOR ALL BATHROOM SPACES

Discover our collection of bathroom taps with designs which cover all styles, from modern basin mixer to traditional basin taps to suit a classic bathroom.



Range	Mini Basin Mixer	Basin Mixer	Tall Basin Mixer	Basin Taps	Bath Filler	Bath/Shower Mixer
Cheltenham		*		+	*	*
Varsity		*		+	*	*
Adapt		*			*	*
Tier		*			*	+
Signal	+	*			*	+
Revive		*			+	*
Solace		+			+	
Strike	+	+			+	*
Lift		*			+	*
Blaze	+	*			+	*
Siren	+	+			+	+
Kinetic	+	+	*	+	+	+
Cruz	+	*			+	+

STYLE GUIDE

130 <u>131</u>



The Cheltenham Collection

Cheltenham combines a traditional look with contemporary styling. It complements the Lansdown furniture range perfectly.





Cheltenham Basin Mixer with Click Waste Minimum recommended pressure 0.2bar $169(w) \times 210(h) \times 176(d)mm$



 $\begin{tabular}{lll} \pmb{Cheltenham\ Basin\ Taps} \ (pair\ -\ waste\ not\ included)\\ Minimum\ recommended\ pressure\ 0.2bar\\ 65(w)\times 140(h)\times 115(d)mm \end{tabular}$

£103.00



Cheltenham Bath Filler Minimum recommended pressure 0.3bar 233(w) x 154(h) x 157(d)mm

£222.50



Cheltenham Bath Shower Mixer & Handset $\begin{array}{l} \mbox{Minimum recommended pressure 0.3bar} \\ 245(w) \times 150(h) \times 170(d) mm \end{array}$

£249.00 TCM42

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above for the basin mixer & basin taps and 0.3bar for the bath filler & bath shower mixer.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control. Quarter turn taps only require a 90° turn of the handle to move from fully open to closed.

10 Year Guarantee







Varsity effortlessly captures a bygone era with its traditionally styled handles and attention to detail.







TVA10 £117.50



Varsity Basin Taps (pair) Minimum recommended pressure 0.1bar 123(h) x 125(d)mm

£68.20 TVA70



Varsity Bath Filler Minimum recommended pressure 0.1bar 132(h) x 200(d)mm

TVA32 £149.50



Varsity Bath Shower Mixer & Handset Minimum recommended pressure 0.1bar 252(h) x 200(d)mm

TVA42 £252.00

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.1bar or above.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control. Quarter turn taps only require a 90° turn of the handle to move from fully open to closed.

10 Year Guarantee








Familiarise yourself with the soft, angular design of the Adapt range. Its shapely form and tapered body offer a new take on geometric styling.







TAD11 £103.00




Adapt Bath Filler Minimum recommended pressure 0.3bar 230(w) x 130(h) x 160(d)mm

TAD32 £157.50



Adapt Bath Shower Mixer & Handset Minimum recommended pressure 0.3bar $230(w) \times 130(h) \times 160(d)mm$

TAD42 £184.00



FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.3bar or above.

Lever

The basin mixer's single lever action and the quarter turn bath filler make Adapt a practical and easy to use range.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee








Let the Tier tap take your bathroom to another level, with its softly rounded body and ergonomic handle. Understated cool combined with practicality.





£103.00



Tier Bath Filler Minimum recommended pressure 0.3bar 230(w) x 135(h) x 165(d)mm

£157.50



Tier Bath Shower Mixer & Handset Minimum recommended pressure 0.3bar 230(w) x 135(h) x 165(d)mm

£184.00

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.3bar or above.

Lever

The basin mixer's single lever action and the quarter turn bath filler make Tier a practical and easy to use range.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee







Softened square styling adds a designer edge that will fit into any contemporary styled bathroom.





Signal Mini Basin Mixer with Click Waste Minimum recommended pressure 0.3bar 50(w) x 135(h) x 145(d)mm

TGN61 £103.00



Signal Basin Mixer with Click Waste Minimum recommended pressure 0.3bar 50(w) x 161(h) x 156(d)mm

£139.00



Signal Bath Filler Minimum recommended pressure 0.3bar 227(w) x 119(h) x 166(d)mm



Signal Bath Shower Mixer & Handset Minimum recommended pressure 0.3bar 230(w) × 120(h) × 160(d)mm

TGN42

£249.00

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.3bar or above.

The basin mixer's single lever action and the quarter turn bath filler make Signal a practical and easy to use range.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee







Let the elegant profile of Revive breathe some life into your bathroom design.





Revive Basin Mixer with Click Waste $\begin{array}{l} \mbox{Minimum recommended pressure 0.2bar} \\ \mbox{165(w)} \times \mbox{120(h)mm} \end{array}$

TRVII



Revive Bath Filler Minimum recommended pressure 0.2bar 240(w) x 170(h) x 180(d)mm

£121.50



Revive Bath Shower Mixer & Handset Minimum recommended pressure 0.2bar 230(w) × 136(h) × 180(d)mm

TRV42



FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above.

Lever action


Seperate controls for hot and cold flow makes the Revive taps extremely easy to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee







The open spout design of Solace adds a touch of spa luxury to your bathroom.





Solace Basin Mixer with Click Waste

 $\begin{array}{l} \mbox{Minimum recommended pressure 1.0bar} \\ \mbox{130(h)} \times \mbox{185(d)mm} \end{array}$

TSAII



£139.00



32 £211.00

FEATURES

Low Pressure

The Solace bath filler is suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above. The basin mixer requires 1.0bar.

Lever Action

The single lever action makes the Solace basin mixer extremely easy and practical to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee







Strike's tapered body is echoed in its slim lever handle to create a simple yet discerning look for your bathroom. Sure to be the next design classic.





Strike Mini Basin Mixer with Click Waste Minimum recommended pressure 0.2bar $40(w) \times 135(h) \times 140(d)mm$

TSE61 £98.90



Strike Basin Mixer with Click Waste Minimum recommended pressure 0.2bar $45(w) \times 155(h) \times 165(d)mm$

£112.00



Strike Bath Filler Minimum recommended pressure 0.2bar 250(w) x 170(h) x 185(d)mm

£181.00



Strike Bath Shower Mixer & Handset Minimum recommended pressure 0.3bar $230(w) \times 140(h) \times 165(d)mm$

TSE42 £233.00



Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above.

Lever Action

The single lever action makes the Strike basin mixer extremely easy and practical to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee








Lift's streamlined and perfectly proportioned design gives a simple yet stylish look for your bathroom.







TLF12 £60.10



Lift Bath FillerMinimum recommended pressure 0.2bar 136(h) x 143(d)mm

TLF32 £118.00 TLF42



Lift Bath Shower Mixer & Handset Minimum recommended pressure 0.5bar 136(h) x 143(d)mm

TLF42 £139.00

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.5bar for bath/shower mixer).

Lever Action

The single lever action makes Lift taps extremely easy and practical to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee







Despite its hot name, Blaze is the epitome of all things cool – all the way from its contemporary clean body lines, to the sleek, lean spout.





Blaze Mini Basin Mixer with Click Waste $\begin{array}{l} \mbox{Minimum recommended pressure 0.2bar} \\ \mbox{122(h)} \times \mbox{128(d)mm} \end{array}$

TBL61



Blaze Basin Mixer with Click Waste $\begin{array}{l} \mbox{Minimum recommended pressure 0.2bar} \\ \mbox{145(h)} \times \mbox{143(d)mm} \end{array}$

£142.50



Blaze Bath Filler Minimum recommended pressure 0.1bar 123(h) x 148(d)mm

£216.00



Blaze Bath Shower Mixer & Handset $\begin{array}{l} \mbox{Minimum recommended pressure 0.3bar} \\ \mbox{123(h)} \times \mbox{148(d)mm} \end{array}$

TBL42 £252.00

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.3bar for bath/ shower mixer).

Lever Action

The single lever action makes Blaze taps extremely easy and practical to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee








Siren cleverly combines mirror flat surfaces and super smooth curves to stunning effect. The elegant profile screams urban sophistication and delivers a big impact.







TSN61 £133.50 T



Siren Basin Mixer with Click Waste Minimum recommended pressure 0.2bar 167(h) x 165(d)mm

TSN11 £142.50



Siren Bath Filler Minimum recommended pressure 0.1bar 123(h) x 159(d)mm

TSN32 £216.00



Siren Bath Shower Mixer & Handset Minimum recommended pressure 0.3bar 123(h) x 159(d)mm

TSN42 £252.00

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.3bar for bath/shower mixer).

Lever Action

The single lever action makes Siren taps extremely easy and practical to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee







Sleek and stylish, the Kinetic range offers a simple, characterful design perfect for today's bathroom.





Kinetic Mini Basin Mixer (waste not included) Minimum recommended pressure 0.1bar $120(h) \times 126(d)mm$

TKN62 £74.50



Kinetic Basin Mixer (waste not included) Minimum recommended pressure 0.1 bar $150(h) \times 152(d)mm$

TKN12 £78.10



Kinetic Tall Basin Mixer (waste not included) Minimum recommended pressure 0.1bar $314(h) \times 150(d)mm$

)	TKN52	£126.50
,	11(1432	L120.50



Kinetic Basin Taps (pair) Minimum recommended pressure 0.1bar 93(h) x 110(d)mm

TKN70 £112.50



Kinetic Bath Filler Minimum recommended pressure 0.2bar 117(h) x 160(d)mm

TKN32 £139.00



Kinetic Bath Shower Mixer & Handse. Minimum recommended pressure 0.3bar 117(h) x 160(d)mm

TKN42 £186.50

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.1 bar or above.

Lever Action

The single lever action makes Kinetic taps extremely easy and practical to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee







Sculptured lines seamlessly blend with ergonomic design to create a timeless classic.





Cruz Mini Basin Mixer (without pop up waste) Minimum recommended pressure 0.2bar 131(h) x 123(d)mm

TCR62 £93.00



Cruz Basin Mixer (without pop up waste) Minimum recommended pressure 0.1bar 143(h) x 150(d)mm

£96.50



Cruz Basin Mixer (with pop up waste) Minimum recommended pressure 0.1bar 143(h) x 150(d)mm

TCR10 £112.00



Cruz Bath Filler

Minimum recommended pressure 0.1bar 127(h) x 160(d)mm

TCR32 £162.00



Cruz Bath Shower Mixer & Handset Minimum recommended pressure 0.1bar $127(h) \times 160(d)mm$

£188.50

FEATURES

Low Pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.1bar or above.

Lever Action

The single lever action makes Cruz taps extremely easy and practical to use.

Ceramic Cartridge Technology

Smooth, easy to use action giving accurate flow control.

10 Year Guarantee









75mm Slotted Click Waste
WASTE7 £15.70



100mm Slotted Click Waste

WASTE9 £18.80



75mm Slotted Click Waste
WASTEI0 £17.30



Bottle TrapTRAP6 *£*48.40



Pop-up Cable Bath Waste & Overflow 670mm hose

WASTE20 £37.10




Click Bath Waste & Overflow 670mm hose WASTE21 £28.



Pop-up Cable Bath Waste & Overflow 1020mm hose

WASTE30 £45.30



WASTES & TRAPS

Our tap ranges are perfectly complemented by our stylish and modern chrome plated bottle trap and collection of wastes. All bath taps are supplied without wastes as it is usual to purchase your waste with your bath. We have a choice of bath wastes with overflow in 2 different lengths depending upon your installation requirements.

Taps supplied with a pop-up waste include a waste outlet, pop-up rod and lifting mechanism. Please note that Adapt, Tier, Revive, Solace, Strike, Lift, Blaze, Siren, Index and Logic mini and basin mixers are supplied with a click waste. For taps supplied without pop-up wastes, we have a few waste options as shown. Unslotted wastes are for use where no integral overflow is required in the washbasin. If your basin is wall hung choose our modern chrome trap or the more traditional styled version to complement your taps perfectly.

DESIGN DETAIL

Tap Operating Pressure

Plumbing systems can sometimes suffer from poor flow rates. The UK is unique in that many homes are still using the more traditional, low pressure gravity fed plumbing systems which are most commonly found in older properties.

European manufacturers tend to design taps suitable for more modern plumbing systems which can often cause problems when installed in a typical UK home, resulting in a disappointing flow rate when using the taps. Tavistock's in-house design team have recognised this problem and engineered our taps so that all of them are suitable for use with both high and low pressure systems. Most of our taps operate at 0.1bar or above (0.1bar is equal to 1 metre head of water). In plumbing terms this means, for a gravity fed system, if the base height of your water tank is 1m above a tap, then you will have 0.1bar of water pressure at the tap.

If you are unsure, we recommend you seek advice from your plumber who will advise you on the plumbing system you have and the likely water pressures it can achieve. If pressures are too low even for our low pressure taps, you will be able to increase your water pressure using a suitable water pump, and again either your retailer or plumber can advise you on this. Please note that all of our taps are also suitable for high pressure plumbing systems.