



SIGNAL

Softened square styling adds a designer edge that will fit into any contemporary styled bathroom.



£190.50

BASIN MIXER WITH CLICK WASTE

TGN11 Basin Mixer with Click Waste

Minimum recommended pressure of 0.3bar $50(w) \times 161(h) \times 156(d)mm$

BATH FILLER

TGN32 Bath Filler

Minimum recommended pressure of 0.3bar 227(w) x 119(h) x 166(d)mm



£118.50

SIGNAL FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.3bar or above.

Lever

The basin mixer's single lever action and the quarter turn bath filler makes Signal a practical and easy to use range.

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control.

10 year guarantee

-REVIVE-

Let the **ELEGANT PROFILE** of Revive breathe some life into your **BATHROOM DESIGN**.



BASIN MIXER WITH CLICK WASTE

TRV11 Basin Mixer with Click Waste

Minimum recommended pressure of 0.2bar 120(h) x 165(d)mm

BATH FILLER



TRV32 Bath Filler £103.00
Minimum recommended pressure of 0.2bar

240(w) x 170(h) x 235(d)mm



£82.20

REVIVE FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above.

Lever action


Seperate controls for hot and cold flow makes the Revive basin mixer and bath filler extremely easy to use.

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control.

10 year guarantee





TSA11 Basin Mixer with Click Waste

Minimum recommended pressure of 1.0bar 130(h) x 185(d)mm

BATH FILLER

TSA32 Bath Filler £180.00 Minimum recommended pressure of 0.2bar

250(w) x 140(h) x 205(d)mm

£118.50

SOLACE FEATURES

Low pressure

The Solace bath filler is suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above. The basin mixer requires 1.0bar.

Lever action

The single lever action makes the Solace basin mixer extremely easy and practical to use.

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control.

10 year guarantee

STRIKE

Strike's **TAPERED** body is echoed in its slim lever handle to create a simple yet **DISCERNING** look for your bathroom. Sure to be the next design classic.



£95.30

£154.50

MINI BASIN MIXER WITH CLICK WASTE



TSE61 Mini Basin Mixer with Click Waste

Minimum recommended pressure of 0.2bar 40(w) x 135(h) x 140(d)mm

BASIN MIXER WITH CLICK WASTE



TSE11 Basin Mixer with Click Waste

Minimum recommended pressure of 0.2bar $45(w) \times 155(h) \times 165(d)mm$



BATH FILLER

£84.70



TSE32 Bath Filler

Minimum recommended pressure of 0.2bar

250(w) x 170(h) x 185(d)mm

STRIKE FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above.

Lever action

The single lever action makes the Strike basin mixer extremely easy and practical to use.

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control.

10 year guarantee



£154.50

BASIN MIXER WITH CLICK WASTE



TMD11 Basin Mixer with Click Waste


Minimum recommended pressure of 0.2bar 52(w) x 160(h) x 175(d)mm

BATH FILLER



TMD32 Bath Filler

Minimum recommended pressure of 0.2bar $170(h) \times 185(d)mm$



£84.70

MELODY FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above.

Lever action

The single lever action makes the Melody basin mixer extremely easy and practical to use.

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control.

10 year guarantee

-VOICE

This tap really has a lot to say for itself. Voice's **SIMPLE** lever styling has a **JAUNTY UPLIFTING** handle and spout, marking a distinct shift away from conventional straight lines.



£154.50



TVC11 Basin Mixer with Click Waste

Minimum recommended pressure of 0.3bar 46(w) x 165(h) x 160(d)mm

TVC32 Bath Fille

£106.00

BATH FILLER

Minimum recommended pressure of 0.2bar 240(w) x 150(h) x 215(d)mm

VOICE FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above.


Lever action

The single lever action makes the Voice basin mixer extremely easy and practical to use.

Ceramic cartridge technology


Smooth, easy to use action giving accurate flow control.

10 year guarantee





TQ11 Basin Mixer with Click Waste £126.00 Minimum recommended pressure of 0.5bar 43(w) x 152(h) x 143(d)mm







Q60 FEATURES

Open spout

This gorgeous open spout design echoes the latest trends in designer brassware and creates a pleasing waterfall effect.

Lever action

The single lever action makes Q60 taps extremely easy and practical to use.

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control.

10 year guarantee



£125.50

BASIN MIXER WITH CLICK WASTE



THP11 Basin Mixer with Click Waste

Minimum recommended pressure of 0.2bar 153(h) x 135(d)mm

BATH FILLER

THP32

£74.50

Minimum recommended pressure of 0.2bar 161(h) x 148(d)mm



BATH SHOWER MIXER & HANDSET



THP42 Bath Shower Mixer & Handset

> Minimum recommended pressure of 0.5bar 161(h) x 148(d)mm

HYPE FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.5bar for bath/shower mixer)


Lever action

The single lever action makes Hype taps extremely easy and practical to use

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control

10 year guarantee



BASIN MIXER



TLF12 Basin Mixer (Waste not included)

Minimum recommended pressure of 0.2bar 153(h) x 122(d)mm

BATH FILLER



TLF32 Bath Filler

£51.40

Minimum recommended pressure of 0.2bar 136(h) x 143(d)mm

Now EVEN BETTER VALUE with our NEW LOWER PRICES

BATH SHOWER MIXER & HANDSET



TLF42 Bath Shower Mixer & Handset

Minimum recommended pressure of 0.5bar 136(h) x 143(d)mm

£118.50

£101.00

LIFT FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.5bar for bath/shower mixer)

Lever action

The single lever action makes Lift taps extremely easy and practical to use

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control

10 year guarantee

-BLAZE

Despite its hot name, Blaze is the epitome of all things cool – all the way from its **CONTEMPORARY** clean body lines, to the sleek, lean spout.



MINI BASIN MIXER WITH CLICK WASTE



TBL61 Mini Basin Mixer with Click Waste

Minimum recommended pressure of 0.2bar 122(h) x 128(d)mm

BASIN MIXER WITH CLICK WASTE



TBL11 Basin Mixer with Click Waste

£114.00

£185.00

Minimum recommended pressure of 0.2bar 145(h) x 143(d)mm

£121.50

BATH FILLER



TBL32 Bath Filler

Minimum recommended pressure of 0.1bar 123(h) x 148(d)mm

BATH SHOWER MIXER & HANDSET



TBL42 Bath Shower Mixer & Handset

Minimum recommended pressure of 0.3bar 123(h) x 148(d)mm

£215.50

BLAZE FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.3bar for bath/shower mixer)

Lever action

The single lever action makes Blaze taps extremely easy and practical to use

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control

10 year guarantee

SIREN-

Siren cleverly combines mirror flat surfaces and super **SMOOTH CURVES** to stunning effect.



MINI BASIN MIXER WITH CLICK WASTE



TSN61 Mini Basin Mixer with Click Waste

Minimum recommended pressure of 0.2bar 128(h) x 151(d)mm

BASIN MIXER WITH CLICK WASTE



TSN11 Basin Mixer with Click Waste

BATH SHOWER MIXER & HANDSET

Minimum recommended pressure of 0.2bar 167(h) x 165(d)mm

£121.50

BATH FILLER



TSN32 Bath Filler

Minimum recommended pressure of 0.1bar 123(h) x 159(d)mm

£185.00

£114.00



TSN42 Bath Shower Mixer & Handset

Minimum recommended pressure of 0.3bar 123(h) x 159(d)mm

£215.50

SIREN FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.3bar for bath/shower mixer)

Lever action

The single lever action makes Siren taps extremely easy and practical to use

Ceramic cartridge technology


Smooth, easy to use action giving accurate flow control

10 year guarantee


-INDEX-

A new perspective on angular design, the **LINES** of the lever handle perfectly mirror the rectangular spout, creating a key **STYLE STATEMENT** sure to get noticed.











INDEX FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above (0.3bar for bath/shower mixer)


Lever action

The single lever action makes Index taps extremely easy and practical to use

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control

10 year guarantee



KINETIC FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.1bar or above

Lever action

The single lever action makes Kinetic taps extremely easy and practical to use

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control

10 year guarantee

£118.50

MINI BASIN MIXER



TKN62 Mini Mixer without Pop-up Waste £63.80
Minimum recommended
pressure of 0.1bar
120(h) x 126(d)mm

BASIN MIXER



TKN12 Basin Mixer without Pop-up Waste £66.80
Minimum recommended pressure of 0.1bar
150(h) x 152(d)mm

TKN52 Tall Basin Mixer Without Pop Up £108.00 Waste

Minimum recommended pressure of 0.1bar 314(h) x 150(d)mm

TALL BASIN MIXER

BASIN TAPS (PAIR)



TKN70 Basin Taps (pair)
Minimum recommended pressure of 0.1bar
93(h) x 110(d)mm

BATH FILLER



TKN32 Bath Filler

Minimum recommended pressure of 0.1bar

117(h) x 160(d)mm

£95.60



BATH SHOWER MIXER & HANDSET



TKN42 Bath Shower Mixer & Handset £159.50

Minimum recommended pressure of 0.1bar 117(h) x 160(d)mm

CRUZ—

Sculptured lines seamlessly blend with ergonomic design to create a **TIMELESS** classic.



MINI BASIN MIXER WITHOUT POP UP WASTE



TCR62 Mini Mixer without Pop-Up Waste

Minimum recommended pressure of 0.2bar 131(h) x 123(d)

BASIN MIXER



TCR10 Basin Mixer with Pop-Up Waste

£79.60

£138.50

TCR12

Minimum recommended pressure of 0.1bar 143(h) x 150(d)mm

£95.10 Basin Mixer without Pop-Up Waste £82.60

BATH FILLER



TCR32 Bath Filler

Minimum recommended pressure of 0.1bar

127(h) x 160(d)mm

BATH SHOWER MIXER & HANDSET



TCR42 Bath Shower Mixer & Handset

> Minimum recommended pressure of 0.1bar 127(h) x 160(d)mm

£161.00

CRUZ FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.1bar or above

Lever action

The single lever action makes Cruz taps extremely easy and practical to use

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control

10 year guarantee

CHELTENHAM

CHELTENHAM combines a traditional look with contemporary styling. It complements the LANSDOWN furniture range perfectly.



£190.50

BASIN MIXER WITH CLICK WASTE



TCM11 Basin Mixer with Click Waste

Minimum recommended pressure of 0.2bar 169(w) x 210(h) x 176(d)mm

BATH FILLER



TCM32 Deck Mounted Bath Filler

Minimum recommended pressure of 0.3bar $233(w) \times 154(h) \times 157(d)mm$



£123.50

CHELTENHAM FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.2bar or above for the basin mixer and 0.3bar for the bath filler.

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control. Quarter turn taps only require a 90° turn of the handle to move from fully open to closed.

10 year guarantee

VARSITY-

Varsity effortlessly captures a bygone era with its **TRADITIONALLY** styled **HANDLES** and attention to detail.





BASIN MIXER WITH POP UP WASTE



TVA10 Basin Mixer with Pop-Up Waste

> Minimum recommended pressure of 0.1bar 100(h) x 140(d)mm

BASIN TAPS (PAIR)



TVA70 Basin Taps (pair)

£100.50

£128.00

Minimum recommended pressure of 0.1bar 123(h) x 125(d)mm

£58.40

BATHFILLER



TVA32

Bath Filler

Minimum recommended pressure of 0.1bar 132(h) x 200(d)mm

BATH SHOWER MIXER & HANDSET



TVA42 Bath Shower Mixer & Handset

Minimum recommended pressure of 0.1bar 252(h) x 200(d)mm

£215.50

VARSITY FEATURES

Low pressure

Suitable for all plumbing systems including conventional gravity fed systems and will operate at 0.1bar or above

Ceramic cartridge technology

Smooth, easy to use action giving accurate flow control. Quarter turn taps only require a 90° turn of the handle to move from fully open to closed

10 year guarantee

Our tap ranges are perfectly complemented by our stylish and modern chrome plated bottle trap and collection of wastes. All bath taps are supplied without wastes as it is usual to purchase your waste with your bath. We have a choice of bath wastes with overflow in 2 different lengths depending upon your installation requirements.


Taps supplied with a pop-up waste include a waste outlet, pop-up rod and lifting mechanism. Please note that Revive, Solace, Strike, Melody, Voice, Q60, Hype, Kick, Lift, Blaze, Siren, Index and Logic mini and basin mixers are supplied with a click waste. For taps supplied without pop-up wastes, we have a few waste options as shown. Unslotted wastes are for use where no integral overflow is required in the washbasin. If your basin is wall hung choose our modern chrome trap or the more traditional styled version to complement your taps perfectly.



WASTES AND TRAP PRODUCT INFORMATION

	Product	Code	RRP inc VAT
1	65mm Unslotted Click Waste	WASTE6	£13.30
2	65mm Slotted Click Waste	WASTE7	£13.30
3	100mm Slotted Click Waste	WASTE9	£16.00
4	100mm Slotted Click Waste	WASTE10	£14.70
5	Bottle Trap	TRAP6	£41.30
6	Pop-Up Cable Bath Waste & Overflow (670mm hose)	WASTE20	£31.70
7	Click Bath Waste & Overflow (670mm hose)	WASTE21	£24.10
8	Pop-Up Cable Bath Waste & Overflow (1020mm hose)	WASTE30	£38.70

- DESIGN -



Tap Operating Pressure

Plumbing systems can sometimes suffer from poor flow rates. The UK is unique in that many homes are still using the more traditional, low pressure gravity fed plumbing systems which are most commonly found in older properties.

European manufacturers tend to design taps suitable for more modern plumbing systems which can often cause problems when installed in a typical UK home, resulting in a disappointing flow rate when using the taps.

Tavistock's in-house design team have recognised this problem and engineered our taps so that all of them are suitable for use with both high and low pressure systems.

Most of our taps operate at 0.1bar or above (0.1bar is equal to 1 metre head of water). In plumbing terms this means, for a gravity fed system, if the base height of your water tank is 1m above a tap, then you will have 0.1bar of water pressure at the tap.

If you are unsure, we recommend you seek advice from your plumber who will advise you on the plumbing system you have and the likely water pressures it can achieve. If pressures are too low even for our low pressure taps, you will be able to increase your water pressure using a suitable water pump, and again either your retailer or plumber can advise you on this. Please note that all of our taps are also suitable for high pressure plumbing systems.